

Write your name here

Surname

Other names

Pearson
Edexcel GCSE

Centre Number

--	--	--	--	--	--

Candidate Number

--	--	--	--	--	--

Chemistry/Additional Science

Unit C2: Discovering Chemistry

Higher Tier

Wednesday 15 June 2016 – Afternoon

Time: 1 hour

Paper Reference

5CH2H/01

You must have:

Calculator, ruler

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- Questions labelled with an **asterisk** (*) are ones where the quality of your written communication will be assessed
– *you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P45930A

©2016 Pearson Education Ltd.

1/1/1/1/1/



PEARSON

The Periodic Table of the Elements

	1	2	3	4	5	6	7	0										
	7 Li lithium 3	9 Be beryllium 4	11 Na sodium 11	12 C carbon 6	13 Al aluminium 13	14 N nitrogen 7	15 P phosphorus 15	16 O oxygen 8	17 F fluorine 9	18 Ar argon 18								
	19 K potassium 19	20 Ca calcium 20	23 Sc scandium 21	24 Ti titanium 22	25 V vanadium 23	26 Cr chromium 24	27 Mn manganese 25	28 Fe iron 26	29 Co cobalt 27	30 Ni nickel 28	31 Cu copper 29	32 Zn zinc 30	33 Ga gallium 31	34 Ge germanium 32	35 As arsenic 33	36 Se selenium 34	37 Br bromine 35	38 Kr krypton 36
	39 Rb rubidium 37	40 Sr strontium 38	45 Y yttrium 39	48 Zr zirconium 40	51 Nb niobium 41	52 Mo molybdenum 42	55 Tc technetium 43	56 Ru ruthenium 44	59 Rh rhodium 45	65 Pd palladium 46	63.5 Ag silver 47	70 Cd cadmium 48	73 In indium 49	75 Sb antimony 51	79 Te tellurium 52	80 I iodine 53	84 Xe xenon 54	86 Rn radon 86
	133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[210] At astatine 85	[222] Rn radon 86	
	[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

1	H	1
	hydrogen	

relative atomic mass
atomic symbol
name
atomic (proton) number

Key

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

Questions begin on next page.



Answer ALL questions

Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

The periodic table

1 The positions of ten elements are shown in the outline periodic table.

The letters are not the symbols of the elements.

	1	2											3	4	5	6	7	0
			☐															
	E													G		J		
	L													M				
											Q						R	
	T													X				Z

(a) Use the letters given in the table to identify

(i) the element that is a noble gas.

(1)

.....

(ii) three elements that are in the same period.

(1)

.....

(b) Which element reacts with hydrogen to form a compound that dissolves in water to give an acidic solution?

Put a cross (☒) in the box to show your answer.

(1)

- A** element **G**
- B** element **J**
- C** element **R**
- D** element **Z**



(c) Which elements, when combined, form an ionic compound?

Put a cross (☒) in the box to show your answer.

(1)

- A E and R
- B G and J
- C G and R
- D R and Z

(d) Element Q is a metal and a good conductor of electricity.

Explain how metals conduct electricity.

(2)

.....

.....

.....

(e) Reactivity increases down group 1 of the periodic table.

Elements E and T are in group 1 of the periodic table.

Explain why element T is more reactive than element E.

(2)

.....

.....

.....

.....

.....

(Total for Question 1 = 8 marks)



Sodium sulfate

2 Sodium sulfate is an ionic solid which is soluble in water.

(a) Which row of the table shows the likely properties of sodium sulfate?

Put a cross (☒) in the box to show your answer.

(1)

	melting point / °C	conducts electricity when dissolved in water
<input type="checkbox"/> A	22	yes
<input type="checkbox"/> B	22	no
<input type="checkbox"/> C	884	yes
<input type="checkbox"/> D	884	no

(b) Sodium sulfate contains sodium ions, Na^+ , and sulfate ions, SO_4^{2-} .

(i) Complete the sentence by putting a cross (☒) in the box next to your answer.

(1)

The formula for sodium sulfate is

- A** NaSO_4
- B** $\text{Na}(\text{SO}_4)_2$
- C** Na_2SO_4
- D** $\text{Na}_2(\text{SO}_4)_2$

(ii) Sodium ions can be identified using a flame test.

Which colour in the flame shows the presence of sodium ions?

Put a cross (☒) in the box to show your answer.

(1)

- A** lilac
- B** red
- C** orange-red
- D** yellow



(iii) Explain how a sodium atom, Na, becomes a sodium ion, Na⁺.

(2)

.....

.....

.....

(c) When sodium sulfate solution reacts with barium hydroxide solution, a white precipitate of barium sulfate forms in the mixture.

The barium sulphate precipitate can be separated from the mixture and purified.

(i) Describe how pure, dry barium sulfate can be obtained from the mixture.

(2)

.....

.....

.....

.....

.....

.....

.....

(ii) Before certain X-rays, patients are given a suspension of barium sulfate to drink.

Explain why this causes no harm to the patient, even though barium salts are toxic.

(2)

.....

.....

.....

.....

(Total for Question 2 = 9 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Chemical reactions

- 3 (a) When ammonium nitrate dissolves in water, the change is endothermic.

In an experiment, a thermometer is placed in some water in a beaker and ammonium nitrate crystals are added.


State what you would **see** to show that the reaction is endothermic.

(1)


.....

.....

- (b) The reaction between hydrogen and chlorine to form hydrogen chloride is exothermic.



The energy change taking place when the reactants, hydrogen and chlorine, form the product, hydrogen chloride, is shown in the diagram.



Explain, in terms of the breaking of bonds and the making of bonds, why this reaction is exothermic.

(2)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




(c) Marble chips react with dilute hydrochloric acid.

Marble is a form of calcium carbonate.

(i) Complete the balanced equation for this reaction.

(2)



(ii) Explain how using smaller sized marble chips affects the rate of this reaction, when all the other conditions remain the same.

(2)

.....

.....

.....

.....

.....

.....

(iii) Explain, in terms of collisions between particles, how increasing the concentration of the hydrochloric acid affects the rate of this reaction, when all the other conditions remain the same.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 3 = 9 marks)



Atomic structure and isotopes

4 (a) An atom of potassium has an atomic number of 19 and a mass number of 39.

(i) Complete the table to show the number of protons, neutrons and electrons in this potassium atom.

(2)

number of		
protons	neutrons	electrons

(ii) Describe the positions of these particles in the potassium atom.

(2)

.....

.....

.....

(iii) State the electronic configuration of this potassium atom.

(1)

.....

(iv) Give the relative mass of an electron.

(1)

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) A sample of gallium, Ga, contains the isotopes gallium-69 and gallium-71.

(i) Complete the sentence by putting a cross (☒) in the box next to your answer.

(1)

Isotopes are different atoms of the same element that contain

- A different numbers of electrons
- B different numbers of protons but same number of electrons
- C same number of protons but different numbers of neutrons
- D same number of neutrons

(ii) The sample of gallium contains

60.2% of gallium-69

39.8% of gallium-71

Calculate the relative atomic mass of gallium.

(3)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 4 = 10 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



Chlorine

5 Chlorine is an element in group 7 of the periodic table.

(a) Chlorine, Cl_2 , is a simple molecular, covalent substance.

The atoms in a molecule of chlorine are held together by a covalent bond.

(i) Explain what is meant by the term **covalent bond**.

(2)

(ii) Phosphorus reacts with chlorine to form phosphorus trichloride, PCl_3 .

A phosphorus atom has five electrons in its outer shell.

A chlorine atom has seven electrons in its outer shell.

Draw the dot and cross diagram to show the bonding in a molecule of phosphorus trichloride, PCl_3 .

Show outer electrons only.

(2)

(iii) Aluminium reacts with chlorine to form aluminium chloride, AlCl_3 .

Write the balanced equation for this reaction.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 4 5 9 3 0 A 0 1 3 2 0

*(b) Chlorine, Cl_2 , is a simple molecular, covalent substance.
Diamond is a giant molecular, covalent substance.
Sodium chloride is an ionic substance.
Zinc is metallic.

As a result of their different structures these substances have the following different properties.

- Solid chlorine has a very low melting point but diamond, sodium chloride and zinc have high melting points.
- Diamond and sodium chloride have different solubilities in water.

In terms of the structure and bonding of these substances, explain these properties.

(6)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.

(Total for Question 5 = 12 marks)



P 4 5 9 3 0 A 0 1 5 2 0

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Composition, yield and empirical formulae

- 6 (a) Calculate the percentage by mass of nitrogen in ammonium nitrate, NH_4NO_3 .
(relative atomic masses: H = 1.0, N = 14, O = 16)

(3)

.....


.....

.....

.....

percentage by mass of nitrogen = %

- (b) In the extraction of titanium from its ore, the final stage involves the reaction between titanium(IV) chloride, TiCl_4 , and sodium.



Calculate the maximum mass of titanium that can be obtained from 500 tonnes of titanium(IV) chloride in this reaction.

(relative atomic mass: Ti = 48
relative formula mass of TiCl_4 = 190)

(2)

.....

.....

.....

.....

mass of titanium = tonnes

- (c) Reactions used in the chemical industry often produce unwanted products together with the required product.

State a problem this may cause for the manufacturer.

(1)


.....

.....

.....



*(d) An experiment is carried out to determine the empirical formula of magnesium oxide.



The following results are obtained

mass of magnesium ribbon reacted = 0.420 g

mass of magnesium oxide formed = 0.700 g

Describe an experiment to produce these results. As part of your answer show how these results can be used to obtain the empirical formula of the magnesium oxide.

(relative atomic masses: Mg = 24.0, O = 16.0)

(6)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 6 = 12 marks)

TOTAL FOR PAPER = 60 MARKS



P 4 5 9 3 0 A 0 1 9 2 0

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

