



Pearson

Mark Scheme (Results)

Summer 2017

Pearson Edexcel GCSE
In Chemistry (5CH3H) Paper 01

edexcel 

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2017

Publications Code 5CH3H_01_1706_MS

All the material in this publication is copyright

© Pearson Education Ltd 2017

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Acceptable answers	Mark
1(a)(i)	C ₅ H ₁₁ OH	<p>must be capital letters: reject h, c or o</p> <p>must be subscripts: reject C5H11OH or C⁵H¹¹OH</p> <p>allow C₅H₁₂O</p> <p>C₅, H₁₂ and O can be in any order</p>	(1)

Question Number	Answer	Acceptable answers	Mark
1(a)(ii)		<p>allow -OH for O-H, but reject -HO</p> <p>ignore bond angles</p> <p>reject C=C</p> <p>allow c or h or o</p> <p>permit fully correct dot and cross</p>	(1)


Question Number	Answer	Acceptable answers	Mark
1(b)(i)	<p>(C₂H₅OH →) C₂H₄ + H₂O</p> <p>fully balanced equation (allow multiples) (2)</p> <p>allow formulae in either order</p> <p>If does not score 2, allow 1 for either formula.</p>	<p>must be capital letters: reject h, c or o</p> <p>must be subscripts: reject C2H4 or C²H⁴ or H2O or H²O</p> <p>allow structural formulae</p>	(2)

Question Number	Answer	Mark
1(b)(ii)	<p><input checked="" type="checkbox"/> A dehydration</p> <p>The only correct answer is A</p> <p>B is not correct because this is not a reaction type</p> <p>C is not correct because water is removed, not added</p> <p>D is not correct because there is no oxygen added, but water</p>	(1)

Question Number	Answer	Mark
1(c)	<p data-bbox="368 264 1066 300"><input checked="" type="checkbox"/> C $\text{C}_2\text{H}_5\text{OH} + 3\text{O}_2 \rightarrow 2\text{CO}_2 + 3\text{H}_2\text{O}$</p> <p data-bbox="368 338 847 374">The only correct answer is C</p> <p data-bbox="368 409 1390 445">A is not correct because there are insufficient oxygen atoms on LHS</p> <p data-bbox="368 481 1390 517">B is not correct because there are insufficient oxygen atoms on LHS</p> <p data-bbox="368 553 1370 589">D is not correct because there are too many oxygen atoms on LHS</p>	(1)

(Total for Question 1 = 6 marks)

Question Number	Answer	Mark
2(a)	<p>B oxidised</p> <p>The only correct answer is B</p> <p>A is not correct because it is not a reaction with a base</p> <p>C is not correct because ethanol is not a solid product from solutions</p> <p>D is not correct because oxygen is added, not removed</p>	(1)

Question Number	Answers	Acceptable Answers	Mark
2(b)		<p>allow -OH</p> <p>allow CH₃-</p> <p>ignore bond angles</p> <p>allow c or h or o</p>	(1)

Question Number	Answer	Acceptable answers	Mark
2(c) (i)	<p>(magnesium + ethanoic acid) →</p> <p>magnesium ethanoate (1) +</p> <p>hydrogen (1)</p>	<p>ignore any formulae</p> <p>words in either order</p> <p>exact spellings required</p>	(2)

Question Number	Answer	Acceptable answers	Mark
2(c) (ii)	<p>effervescence / fizzing / bubbles</p> <p>/ (magnesium) disappears</p>	<p>allow magnesium gets smaller /</p> <p>dissolves</p> <p>ignore movement / floating</p> <p>reject answers with additional</p> <p>incorrect response e.g. white</p> <p>precipitate / colour change /</p> <p>steam</p>	(1)

Question Number	Answer	Acceptable	Mark
2(d)	A description linking one use with <u>relevant property</u>		ignore polyesters fabrics / clothing allow specified tastes MP2 dependent on MP1
	sweets / confectionary / food (flavouring) (1)	flavouring / good taste / fruity or sweet smell or taste (1)	
	perfumes / cosmetics / named cosmetic item (1)	good smell/ scent / volatile (1)	
	soap (1)	esters react with NaOH / sweet smell (1)	
	paints / nail varnish remover(1)	solvent (1)	
	plastics / resins (1)	softening agent (1)	
			(2)

Question Number	Answers	Acceptable Answers	Mark
2(e)	A description including <ul style="list-style-type: none"> sodium hydroxide / potassium hydroxide / alkali / base (1) heat / boil / reflux (1) MP2 is dependent on scoring MP1	MP1: allow correct formulae / equations reject dilute alkali or 'alkaline' but allow MP2 MP2: allow specified temps ≥ 80 °C but ignore warm	(2)

(Total for Question 2 = 9 marks)

Question Number	Answers	Acceptable Answers	Mark
3(a)	calcium / Ca ²⁺ / magnesium / Mg ²⁺	allow +2 for 2+, must have correct charge. Reject mg ²⁺ if a list, all must be correct	(1)

Question Number	Answers	Acceptable Answers	Mark
3(b)	<p>An explanation including</p> <ul style="list-style-type: none"> A temporary hardness and little or less soap needed (after boiling) / (10.2cm³ before but) only 0.1cm³ after / softened (by boiling) / (all) hardness removed / more easily lathers (1) B permanent hardness and no change (in soap used) / 20cm³ before and after / has not been softened (by boiling) (1) C temporary <u>and</u> permanent hardness / 'both' types and only some reduction in soap needed (1) <p>If gets no marks, allow 1 for: A temporary, B permanent, C temporary and permanent (1)</p>	do not allow 'partially hard' etc do not allow <u>unexplained</u> use of data for MP3	(3)

Question Number	Answer	Acceptable answers	Mark
3(c) (i)	$\text{ZnCO}_3 + 2\text{HCl} \rightarrow \text{ZnCl}_2 + \text{H}_2\text{O} + \text{CO}_2$ <ul style="list-style-type: none"> correct formulae only LHS (1) correct formulae only RHS (1) balancing of these correct formulae (1) 	ignore state symbols, even if incorrect allow = for →, multiples In this question only, incorrect use of capital / small letters or subscripts: max 2.	(3)

Question Number	Answer	Acceptable answers	Mark
3(c) (ii)	<ul style="list-style-type: none"> relative formula mass $\text{ZnCl}_2 = [65 + 2 \times 35.5]$ (1) (= 136) concentration = $0.25 \times M_r$ (1) (= 34(.0)) 	136 scores 1. 34 as final answer scores 2. allow ecf for M _r	(2)

Question Number	Answers	Acceptable Answers	Mark
3(d)	<ul style="list-style-type: none"> • mol HCl used = $0.095 \times 18.5 / 1000$ (1) (= 0.0017575) • conc NaOH = $0.0017575 \times 1000 / 25.0$ (1) (= 0.07(03)) 	<p>0.07(03) as final answer scores 2.</p> <p>allow ecf for moles allow $18.5 \times 0.095 = 25 \times c$ (1) $c = 18.5 \times 0.095 / 25$ (1)</p>	(2)

(Total for Question 3 = 11 marks)

Question Number	Answer	Acceptable answers	Marks
4 (a)(i)	An explanation linking <ul style="list-style-type: none"> carbon dioxide/CO₂ (1) carbonate/CO₃²⁻ (1) 	mark independently hydrogencarbonate/HCO ₃ ⁻ allow 'copper carbonate' for MP2	(2)

Question Number	Answer	Acceptable answers	Marks
4 (a)(ii)	copper hydroxide / Cu(OH) ₂ (1)	reject copper oxide, CuO, CuOH ₂ C, O, H must be capital letters u must be small letter must have brackets around OH 2 must be subscript – reject Cu(OH)2 or Cu(OH) ²	(1)

Question Number	Answer	Acceptable answers	Marks
4 (a)(iii)	Ba ²⁺ (aq) + SO ₄ ²⁻ (aq) → BaSO ₄ (s) correct formulae with no others on LHS (1) correct formula with no others on RHS (1) fully correct balanced ionic equation with correct state symbols (1)	allow +2 and -2 only penalise incorrect use of capital / small letters or subscripts but not for MP3 allow = for →, multiples	(3)

Question Number	Answer	Acceptable answers	Marks
4 (b)	<p>An description including</p> <p>WITH SILVER NITRATE</p> <ul style="list-style-type: none"> • add silver nitrate (solution) (1) • chloride: white precipitate (1) • bromide: cream / pale yellow precipitate (1) • iodide: yellow precipitate (1) <p>WITH CHLORINE (WATER)</p> <ul style="list-style-type: none"> • add chlorine (1) • chloride: no change (1) • bromide: goes yellow/ orange (1) • iodide: goes yellow /brown or black ppt (1) 	<p>if no silver nitrate, scores 0. ignore anything else added to silver nitrate allow ppt(e) /solid penalise missing 'ppt' once only do not penalise: chlorine / Cl/ Cl₂ / Cl⁻ ⇒ white ppt (same for bromide, iodide)</p> <p>If no chlorine = 0.</p> <p>bromide and iodide colours must be different</p>	(4)

(Total for Question 4 = 10 marks)

Question Number	Answers	Acceptable Answers	Mark
5 (a)(i)	<p>An explanation linking</p> <ul style="list-style-type: none"> (equilibrium) shifts left / backwards / to reactants (1) because reverse reaction is endothermic / absorbs heat / lowers temperature (1) 	<p>Ignore any mention of rate / collisions mark independently</p> <p>statements like 'increase in temp shifts to endothermic direction' scores MP2 only</p>	(2)

Question Number	Answers	Acceptable Answers	Mark
5 (a)(ii)	<p>An explanation linking</p> <ul style="list-style-type: none"> (equilibrium) shifts right / forwards / to products (1) because fewer molecules on right / 3 molecules on L but 2 on R / to reduce pressure (1) 	<p>Ignore any mention of rate / collisions mark independently</p> <p>allow 'to reduce volume' moles/ particles = molecules</p>	(2)

Question	Answers	Mark
5 (a)(iii)	<p>D increases increases</p> <p>The only correct answer is D</p> <p>A is not correct because both rates increase</p> <p>B is not correct because both rates increase</p> <p>C is not correct because both rates increase</p>	(1)

Question Number	Answers	Mark
5 (b)	<p>C 10 35 20</p> <p>The only correct answer is C</p> <p>A is not correct because the oxygen volume is doubled</p> <p>B is not correct because the ration 1: 14: 4 is incorrect</p> <p>D is not correct because the ethane volume is halved</p>	(1)

Question		Indicative content	Mark
QWC	5(c)	<p>A description including some of the following points</p> <ul style="list-style-type: none"> • use balance to find mass of the magnesium ribbon (0.048g) • check the gas syringe is reading 0 (cm³) • pour the (sulfuric) acid into the flask • add the magnesium to the acid • connect syringe • when all the magnesium has {reacted/disappeared/no further increase in volume of gas } • record the {final/maximum} volume of {hydrogen/gas (48cm³)} • divide mass of magnesium by {24/relative atomic mass/A_r} to find number of moles Mg • $0.048/24 = 0.002$ mol Mg • the same number of moles of hydrogen is produced / mole ratio magnesium : hydrogen is 1:1 / 1 mole of magnesium produces 1 mole of hydrogen • 0.002 mol hydrogen produced • divide volume of hydrogen collected by number of moles of hydrogen (to find volume of 1 mole) • volume of 1 mole hydrogen = $48/0.002 = 24000$ cm³ 	(6)
Level	0	No rewardable material	
1	1-2	<ul style="list-style-type: none"> • a limited description e.g. add the magnesium to the acid in the flask and measure gas volume OR relate mass of magnesium to volume of hydrogen • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy 	
2	3-4	<ul style="list-style-type: none"> • a description of obtaining or using the results e.g. weigh then add the magnesium to the acid and stopper the flask, record the final volume of gas • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately. • spelling, punctuation and grammar are used with some accuracy 	
3	5-6	<ul style="list-style-type: none"> • a detailed description of obtaining and using the results e.g. find mass of magnesium and add it to the acid, record the final volume of gas, find the number of moles of magnesium by dividing the mass by 24 then divide the volume of hydrogen by the number of moles • the answer communicates ideas clearly and coherently and uses scientific terminology accurately. • spelling, punctuation and grammar are used with few errors 	

(Total for Question 5 = 12 marks)

Question Number	Answers	Acceptable Answers	Mark
6 (a) (i)	{loss / removal} of electrons	ignore 'reduction of electrons'	(1)

Question Number	Answers	Mark
6 (a) (ii)	<p>C AgNO₃</p> <p>The only correct answer is C</p> <p>A is not correct because there is one too few O</p> <p>B is not correct because there is one too many Ag</p> <p>D is not correct because there is one too many nitrate</p>	(1)

Question Number	Answers	Acceptable Answers	Mark
6 (b)	<p>An explanation linking</p> <p>CATHODE</p> <ul style="list-style-type: none"> copper (atoms) deposited / plated / gained / copper ions gain electrons / copper ions reduced/ $\text{Cu}^{2+} + 2\text{e}^- \rightarrow \text{Cu}$ / copper ions go to cathode (1) <p>ANODE</p> <ul style="list-style-type: none"> copper (atoms/ions) removed / dissolve copper (atoms) lose electrons / copper (atoms) oxidised / $\text{Cu} \rightarrow \text{Cu}^{2+} + 2\text{e}^-$ (1) <p>SOLID DEPOSIT</p> <ul style="list-style-type: none"> impurities / sludge / gold / silver (fall from anode) (1) <p>COLOUR OF SOLUTION</p> <ul style="list-style-type: none"> (blue) copper (ions) do not change in number or concentration / copper (ions) enter and leave solution (at same rate) / copper (ions) leave at cathode but enter at anode (1) 	<p>words in bold must be present</p> <p>(words in brackets) need not be present but must not be contradicted</p>	(4)

Question Number		Indicative content	Mark
QWC	6(c)	<p>An explanation including some of the following points:</p> <p>in molten sodium chloride</p> <ul style="list-style-type: none"> ions present: sodium ions / Na^+, chloride ions / Cl^- sodium ions attracted/migrate to negative electrode/cathode sodium ions gain electrons / are reduced sodium produced at negative electrode/cathode / $\text{Na}^+ + \text{e}^- \rightarrow \text{Na}$ chloride ions attracted/migrate to positive electrode/anode chloride ions lose electrons / are oxidised chlorine produced at positive electrode/anode / $2\text{Cl}^- - 2\text{e}^- \rightarrow \text{Cl}_2$ / $2\text{Cl}^- \rightarrow \text{Cl}_2 + 2\text{e}^-$ <p>whereas in aqueous sodium chloride</p> <ul style="list-style-type: none"> ions present (from sodium chloride): sodium ions / Na^+, chloride ions / Cl^- ions present (from water): hydrogen ions / H^+, hydroxide ions / OH^- hydrogen ions attracted/migrate to negative electrode/cathode hydrogen ions gain electrons / are reduced hydrogen produced at negative electrode/cathode / $2\text{H}^+ + 2\text{e}^- \rightarrow \text{H}_2$ chloride ions attracted/migrate to positive electrode/anode chloride ions lose electrons / are oxidised chlorine produced at positive electrode/anode amount of chlorine depends on concentration of solution / $2\text{Cl}^- \rightarrow \text{Cl}_2 + 2\text{e}^-$ sodium hydroxide remains in solution 	(6)

Level	0	No rewardable material
1	1-2	<ul style="list-style-type: none"> • a limited explanation e.g. sodium and chlorine are produced from molten sodium chloride • the answer communicates ideas using simple language and uses limited scientific terminology • spelling, punctuation and grammar are used with limited accuracy
2	3-4	<ul style="list-style-type: none"> • a simple explanation e.g. in molten sodium chloride ions present: Na⁺ and Cl⁻, sodium produced at cathode and chlorine produced at anode • the answer communicates ideas showing some evidence of clarity and organisation and uses scientific terminology appropriately. • spelling, punctuation and grammar are used with some accuracy
3	5-6	<ul style="list-style-type: none"> • a detailed explanation including reference to both molten and aqueous sodium chloride e.g. a full explanation of one electrolyte and a limited explanation of the other • the answer communicates ideas clearly and coherently and uses scientific terminology accurately. • spelling, punctuation and grammar are used with few errors

(Total for Question 6 = 12 marks)

